



## Product Data Sheet

### Orange EXAM Grade Nitrile Gloves



#### Product Description:

Orange EXAM grade nitrile gloves

Length (mm)	Minimum 240 mm
Material	Nitrile
Thickness (Mil)	5 Mil
Elongation (%)	Before Aging: Min. 500%, After Aging: Min. 400%
Tensile (MPa)	Before Aging: Min. 14 MPa, After Aging: Min. 14 MPa
Width (+/- 3 mm)	Small = 85 mm Medium = 95 mm Large = 105 mm Extra Large = 115 mm 2X Large = 125 mm
Design	Ambidextrous, non-sterile, beaded cuff
Color	Orange
Size	Small, Medium, Large, Extra Large, 2X Large
Usage	Single Use Only
Packaging	100/box & 10 box/Master Case, 72 Master Case/Pallet
Country of Origin	Malaysia

#### Item ID Numebtrs Here:

GLNMPFO5-S,  
GLNMPFO5-M,  
GLNMPFO5-L,  
GLNMPFO5-XL,  
GLNMPFO5-2XL

#### Wrap-Tite, Inc.

6200 Cochran Rd.  
Solon, Ohio 44139

**Toll Free:** 888-WRAP-TITE

**Fax:** 440-349-5432

www.wraptite.com -  
info@wraptite.com

We believe the statements and information contained herein are accurate but are to be used only as general guidelines and are not warrants or guarantees because of the variety of possible uses. THERE IS NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. THE BUYER MUST TEST THE SUITABILITY FOR EACH INTENDED APPLICATION BEFORE USING. WRAPTITE WILL NOT BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF ITS PRODUCTS OR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.