

RAP J J STRETCH EILMS

"Your source for packaging, shipping & safety supplies."




CORVERTER

of STRETCH FILM under one roof in the USA.

"Ship right with WRAP TITE"."



Stretch Film Product Categories









Stretch film manufactured using a cast extrusion process to provide excellent clarity, substantial tear resistance, and high cling - with a quiet unwind.





- CHF-M Traditional in metric sizes, 16.5 to 21 mic.
- PHF Hi-performance down gauge, 12 to 16 mic.
- SPM Shield MaX, ultra-stiff,
 super hi-performance, 9 to 14 mic.
- ZHF Color, in tinted and dark shades
- ZPHF Hi-performance color, in tinted and dark shades







We can custom make any width, length, gauge or color.





Stretch film rolls cut from the master roll, enabling an unlimited range of widths.



- CNW Narrow-Width
- NNW Color Narrow-Width
- PNW Performance Narrow-Width




- CPW Pipe Wrap
- ZPW Color Pipe Wrap
- PPW Performance Pipe Wrap



- CEX Extended Core
- ZEX Color Extended Core
- PEX Performance Extended Core



 CBR - Bulk Roll for Machine



Custom sizes, colors & thickness can be made upon request - Minimum Order Quantity applies


Wrap-Tite Banding Film is converted in-house.





Machine grade cast stretch film on rolls of 5,000 feet or longer.

- CMF Traditional cast machine, 60 to 400 gauge
 - Orbital Wrap, Standard Web, Wide Web
 - Rolls can be boxed
- CMF-M Traditional in metric sizes
- PMF Hi-performance, 11+ mic.
 - Orbital Wrap, Standard Web, Wide Web
 - Rolls can be boxed





- HPMF Shield MaX, ultra-puncture resistant, super hi-performance, 9+ mic.
- ZMF Color, in tinted and dark shades
 - Rolls can be boxed
- ZPMF Hi-performance color, in tinted and dark shades
 - Rolls can be boxed



Custom sizes, colors & thickness can be made upon request -Minimum Order Quantity applies







Manufactured using a blown extrusion process, this product is more resilient than cast film and has more load holding power.

- BHF Traditional blown hand
 60 to 120 gauge

- BMF Traditional blown machine film
 - 60 to 120 gauge
 - Stretches 200-250%
 - Rolls can be boxed



Blown film is made by heating resin, blowing it out vertically into a bubble, and then cooling it gradually while it is pulled by rollers.





Stretch film that is pre-stretched prior to being rolled onto cores, in order to require less effort during application.



- Air Lite Blown Hand
 - EWHF 7.4 mic.
 - EW Bulk packed, 7.4 mic.



- EW Air Lite Metric Cast Hand
 - Ultra Light, 6.2 mic.
 - o Light, 7.2 mic.
 - o Medium, 8.2 mic.
 - o Heavy, 9.2 mic.
 - Extra Heavy, 11 mic.



- Air Lite Max Cast Hand
 - EWHF-Max80 6.4 to 12 mic.
 - Color, 8.5 mic.
 - Biodegradable, 7.4 mic.
 - EW-Max80 Bulk packed,
 6.4 to 8.5 mic.
 - Color, 8.5 mic.
 - Biodegradable, 7.4 mic.
 - EWPW Pipe Wrap, 6.4 mic.
 - EWNW Banding, 8.5 mic.





- WFNHF Hand Netting, 15-20% elongation
- WFNMF Machine Netting, 15-20% elongation
 - WFNPMF Hi-performance, 60-80% elongation
 - Rolls can be boxed
- WFNPW Pipe Wrap Netting, 15-20% elongation



- WF/WFHF Hand Vented, stiff with large holes
 - WFHF-S Stretchable with medium holes
- WFMF Machine Vented with small holes, 200% stretch
 - WFMF-S With medium holes
 - WFPMF Hi-performance with small oval holes, 225% stretch
 - Rolls can be boxed
- WFPW Pipe Wrap Vented, stiff with large holes

^{**}Custom sizes, colors & thickness can be made upon request - Minimum Order Quantity applies**





Specialty Films

- UVI (Ultra-violet Inhibitor)
 - o ZHU Hand UVI in black
 - CMU Machine UVI
 - Rolls can be boxed
 - **ZMU Machine UVI in black**



- Anti-Stat (Anti-Static)
 - o ZHA Hand Anti-Stat
 - ZMA Machine Anti-Stat



- VCI (Volatile Corrosion Inhibitor)
 - ZHV Hand VCI
 - ZMV Machine VCI



Specialty films for your special requirements. Can't find what you're looking for?
Ask our Sales Reps.

- Shield Arctic (Cold temperature)
 - SAH Hand Arctic
 - SAM Machine Arctic
 - SAPHF-Max80 Pre-stretch hand Arctic
- LW Laundry
 - Compatible with Laundry
 Wrapping Machine



SBR – Stretch Band





- Printed
 - "Do Not Break Load", "Do Not Accept If Seal Is Broken", "Do Not Double Stack"
 - Custom printing available







- CHF-POCO PoCo Hand Wrap
 - Includes at least 25% resin made from Post-Consumer Recycled (PCR) plastic



- NoCo Pre-Stretch Wrap
 - No Core to throw away
 - 100% recyclable
 - Handles sold separately






- **Machine and Hand**
- Formulated with the d2w additive, shortening its decomposition time



- Down-gauge Performance Wrap
 - Gets the job done with less product





		+	**			\bigcirc				
	CLEAR HAND/ MACHINE	ANTI- STAT	ARCTIC/ FREEZER	COLOR	OXY-FADE/ BIO- DEGRADABLE	POST-	PRINTED	UVI	VCI	WRAP-FLOW VENTED
SHIELD WRAP			_			/			/	
WRAP DOWN AND E		*	/	\	\	_	\	*	*	_
SHIELD MAX	\	*	_	*	*	_	*	*	*	_
AIR -Lite		-	_	_	_	_	_	_	_	_
Lite MAX	/	*	_	/		_	*	*	_	_
NOCO WRAP	\	*	*	*	*		*	*	_	_
LAUNDRY WRAP		*	_	*	*	Hand Film only	*	*	_	_





- Basic Plastic Handles (MI-WPH3)
- Tension Handles (MI-RTH13, MI-TH3)
- Spinner Handles MI-BLPH2
- Free Spin Handles MI-FSH15L
- Swivel Plastic Handles MI-WSH3
- Hand Savers MI-HS3
- Reusable Cores for Coreless Pre-Stretch Wrap
- Stretch Wrap Cutters (MI-SWC) & Blades (MI-SWC100)
- Wrap-Stik Stretch Wrappers
- Stretch Wrap Dispensers

Lightweight, durable and reusable accessories to make your work easier



In addition to our in-stock films, we can custom make any width, length, gauge or color.



WE LOOK FORWARD TO WORKING WITH YOU!





www.wraptite.ca

7300 Torbram Road, Mississauga, ON L4T 3X2 647.558.8300

Info.ca@wraptite.com / webcaorders@wraptite.com

www.wraptite.com

HQ: 6200 Cochran Road, Solon, OH 44139 1.888.WRAP-TITE (872.7848)

info@wraptite.com